LH-75AN4ND

Geration Concerns to the content of the content of

for Commercial SignEdge Applications





HDR-enabled displays will expand the contrast ratio and color space to offer a more realistic and natural image closer to the way your eyes actually see the real world. Deep blacks are combined with very bright highlights to produce a level of reality not previously possible.



Dolby audio delivers louder and richer volume on small speakers that makes the audio mix more intelligible. Works intelligently to optimize audio for your content and equipment.





Built-in Chromecast lets you cast your phone, tablet or laptop right to your TV display.





With the web browser functionality available from Google Playstore, web content can be accessed over the internet which doubles the display's utilization as a PC as well.

Android SOC

The built-in SOC is powered by Google's Android Platform, the series brings together the exceptional smart features and Google-certified built-in assistance tools to offer a superior viewing experience.







HDMI-CEC device linking supported

HDMI-CEC compatible devices can be connected to a display via HDMI cable, enabling the basic operation of compatible devices to be controlled by the remote control.







HDR-enabled displays offer a more realistic and natural image closer to how you see the real world.



Simple plug and play solutions

Displays can be installed anywhere by plugging in the power cord and inserting a USB memory device for playing your media.





SIGNEDGE* – ONE STOP DIGITAL SIGNAGE PLATFORM



Content streams

Customize your layout format based on user's needs

Feed capabilities

RSS and HTML feeds display Real time data

Real-time widgets

Live information of news, weather, etc.

Alerts

Display any alerts in real-time without any delay

Social media

Link Facebook, Twitter and other social media feeds

Custom announcement

Variety of fonts, colours and photo options

Player solution management

Manage everything directly from the dashboard and get all the reports



Videos

Stream HD videos

Live TV

Play live TV videos

Customer service

Pan India support and assistance

Content

management

Manage where and when

to display and for how long

Upgrades

Push Upgrades over the network

Use admins

Authorised access to chosen admins

Import files

Operate PowerPoint, Word, PDF, Excel and other formats



Share multiple displays

Project the content on any number of displays irrespective of the location

REPORTS

Get the organized reports about all your display status & CMS software. Display media player on/off | Assigned content report | User activity

Integration capabilities

Easy integration with software and mobile application.

Schedule

Choose your preferred time and date to display content.

Creator and approver

Approve your content before projecting it on the screen.

SPECIFICATION

PARAMETERS	LH-75AN4ND
DISPLAY PANEL	
SCREEN SIZE ASPECT RATIO RESOLUTION DISPLAY AREA(H x V) PIXEL PITCH VIEWING ANGLE (HORIZONTAL / VERTICAL) DISPLAY COLOURS	189.3 cm diagonal 16:9 3840*2160 (UHD) 1649.664(H) × 927.936(V) 0.4296(H) × 0.4296(V) 178°(H)/178°(V)((Typ.) 1.07G
CONNECTION TERMINAL	
RF IN AV IN USB INPUT (2.0 SUPPORT) HDMI INPUT SPDIF OUT RJ-45 USB DEVICE SUPPORT SUPPORTED FORMATS	1*Side miniAV 1*Side 2*Side (USB2.0) 3*Side YES 1*Side USB Supported HDD PICTURE FORMAT: GIF/PNG/BMP/JPEG VIDEO FORMAT: MPEG1/MPEG2/MPEG4/ H.263/H.264/H.265/MVC/WMV/VC1/VP9/AV1 AUDIO FORMAT:MPEG1/2/MPEG4/AC3/EAC3/AAC WMA/FLACWMA/FLAC
AUDIO	
AUDIO OUTPUT POWER (RMS)	10W+10W(Typ.)
MAIN FEATURES	
HOTEL MODE CEC SOUND OUT(ARC) DOLBY AUDIO HDR10 INTERNET LINK WIFI TYPE(STANDARD) WIFI BAND TYPE	Yes, Basic Yes, Basic YES (function support) Yes Yes Yes Yes Yes 2.4GHz
SOC SPECIFICATIONS	
CPU GPU OS & VERSION INFO MEMORY FLASH RAM	MT9602 Quad-Core 1.5GHz Mali-G52MC1 Android Q- 10 8GB EMMC 2GB
ELECTRICAL	
OPERATING VOLTAGE POWER CONSUMPTION STD BY POWER CONSUMPTION	110V-240V~ 50/60Hz 290W <0.5 W
MECHANICAL	
NET WEIGHT WITH PEDESTAL NET WEIGHT W/O PEDESTAL NET DIMENSIONS WITH PEDESTAL NET DIMENSIONS W/O PEDESTAL GROSS DIMENSIONS (PACKING BOX) GROSS WEIGHT (WITH PACKING BOX)	29.07KG 28.22KG 167.5*33.5*101.5 CM 167.5*8.5*95.7CM 180*28.8*115.8 CM 40.9KG
ACCESSORIES	
REMOTE CONTROL AV CONNECTING CABLE POWER CORD WALL MOUNT BRACKET BATTERY PEDESTAL USER MANUAL WARANTY CARD	YES YES BIS YES 2 "AAA" Batteries YES YES YES
CERTIFICATION	
CAFETY	DIG

BIS

SAFETY



- 3 YEARS ON-SITE WARRANTY -

Registered Office: Panasonic India Pvt. Ltd., 12th Floor, Ambience Tower, Ambience Island, NH-8, Gurgaon-122002, Haryana, India. Ph.: +91-124-4871300, Fax: +91-124-4871333 | Website: https://www.panasonic.com/in/ | Toll Free number: 1800 4190 373 | Service Touch points-336

f @panasonicindia

o @panasonic_india

masonicIndia @PanasonicIndia

► PanasonicIn

www.panasonic.com/in, helpline@in.panasonic.com

Insist on a panasonic india warranty card